

Building 90, SEME, Budds Lane, Bordon, Hampshire GU35 0JE Email: sales@polymax.co.uk Tel: 01420 474123 Web: www.polymax.co.uk

### Material Safety Data Sheet

Product: RTV 102 (White) Silicone Adhesive

## **Emergency Overview**

Physical Description & colour: White pasty solid.

**Odour:** Vinegar-like odour

Major Health Hazards: no significant risk factors have been found for this product.

## **Potential Health Effects**

#### Inhalation

**Short term exposure:** Significant inhalation exposure is considered to be unlikely. Available data indicates that this product is not harmful. In addition product is unlikely to cause any discomfort or irritation.

Long Term exposure: No data for health effects associated with long term inhalation.

## **Skin Contact:**

**Short term exposure:** Available data indicates that this product is not harmful. It should present no hazards in normal use. However product may be mildly irritating, but is unlikely to cause anything more than mild discomfort which should disappear once contact ceases.

Long Term exposure: No data for health effects associated with long term skin exposure.

#### **Eye Contact:**

**Short term exposure:** Exposure via eyes is considered to be unlikely. This product may be mildly irritating to eyes. But is unlikely to cause anything more than mild discomfort which should disappear once product is removed.

Long Term exposure: No data for health effects associated with long term eye exposure.

## Ingestion:

**Short term exposure:** Significant oral exposure is considered to be unlikely. This product is unlikely to cause any irritation problems in the short or long term.

Long Term exposure: No data for health effects associated with long term ingestion.

# Carcinogen Status:

**NOHSC:** No significant ingredient is classified as carcinogenic by NOHSC.

**NTP:** No significant ingredient is classified as carcinogenic by NTP. **IARC:** No significant ingredient is classified as carcinogenic by IARC.



Building 90, SEME, Budds Lane, Bordon, Hampshire GU35 0JE Email: sales@polymax.co.uk Tel: 01420 474123 Web: www.polymax.co.uk

## **Composition/Information on Ingredients**

Ingredients	CAS No	CONC,%	TWA(mg/m³)	STEL (mg/m³)
Octamethylcyclotetrasiloxane	556-67-2	3-5	Not Set	Not Set
Silanetriol, methyl-, triacetate	4253-34-3	1-3	Not Set	Not Set
Non hazardous		To 100	Not Set	Not Set
polydimethylsiloxanes, fillers				

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

#### **First Aid Measure**

#### General Information:

You should call for the doctor. Have this MSDS with you when you call.

**Inhalation:** First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

**Skin Contact:** Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed. If in doubt obtain medical advice.

**Eye Contact**: No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes.

**Ingestion:** If product is swallowed or gets in mouth, wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a doctor.



Building 90, SEME, Budds Lane, Bordon, Hampshire GU35 0JE Email: sales@polymax.co.uk Tel: 01420 474123 Web: www.polymax.co.uk

## **Fire Fighting Measures**

**Fire and Explosion Hazards:** There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

**Extinguishing Media:** Preferred extinguishing media are carbon dioxide, dry chemical, foam, water fog.

**Fire Fighting:** When fighting fires involving significant quantities of this product, wear a splash suit complete with self contained breathing apparatus.

**Flash point**: Not flammable.

Upper Flammability Limit: No data. Lower Flammability Limit: No data. Autoignition temperature: No data. Flammability Class: No data.

# **Accidental Release Measures**

Accidental release: Minor spills do not normally need any special clean-up measures. In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing including rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the clean-up area, we recommend that you used a respirator. Usually, no respirator is necessary when using this product.

Stop leak if safe to do so, and contain the spill. Absorb on to sand, or other suitable absorbent Material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drain or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Can be slippery on floors, especially when wet. Recycled containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity enters drains, advise emergency services. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

## **Handling and Storage**

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section Stability and Reactivity.



Building 90, SEME, Budds Lane, Bordon, Hampshire GU35 OJE

Email: sales@polymax.co.uk Tel: 01420 474123 <u>Web: w</u>ww.polymax.co.uk

**Storage:** Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section Stability and Reactivity. Check packaging - there may be further storage instructions on the label.

### **Physical and Chemical Properties**

Physical Description & colour: white pasty solid

**Odour:** Vinegar-like odour **Boiling Point:** Not Available.

Freezing/Melting Point: No specific data. Solid at normal temperatures

Volatiles: No specific data. Expected to be low at 100°c

Vapour Pressure: No data. Vapour Density: No data. Specific Gravity: approx. 1.06 Water Solubility: Insoluble.

**pH**: No date

Volatility: No data.

**Odour Threshold:** No data. **Autoignition temp:** No data.

## **Stability and Reactivity**

**Reactivity:** Acetic acid is formed during processing.

Conditions to Avoid: None Known.

**Incompatibilities:** strong acids, strong bases strong oxidising agents

**Fire Decomposition:** Carbon monoxide, and if combustion is incomplete, carbon monoxide and smoke. Water, silica and other silicon compounds. Carbon monoxide poisoning produces headache, weaknesses, nausea, dizziness, confusion, dimness of vision, disturbance of judgement, and unconsciousness followed by coma and death. **Polymerisation:** Polymerisation reactions are likely; they are not exported to occur.

#### **Disposal Considerations**

**Disposal:** Containers should be emptied as completely as practical before disposal. If possible, recycle containers either in-house or send to recycle company. If this is not practical, send to a commercial waste disposal site. Please do NOT dispose into sewers or waterways.